

# Service Level Agreement between Logistik Service GmbH and the Logistics service provider

Logistik Service GmbH Lunzerstrasse 41 4031 Linz

eMail: <u>office@logserv.at</u> Homepage: <u>www.logserv.at</u>

# Content

1.	GENERAL	
1.1	Scope of the Service Level Agreement	3
1.2	Checklist for logistics service providers	4
1.3	Personal	4
1.4	AEO Certification	5
1.5	Archiving	5
2.	TRUCK	6
∠. 2.1	Freight planning & commissioning	
2. i 2.2		
	Transport execution	
	.2.1 Special permits	
	.2.2 Loading	
	.2.3 Bonus/malus - remuneration system	
2	.2.4 Arrival and status messages	10
3.	CROSS-MODAL ISSUES IN TRANSPORT IMPLEMENTATION	11
3.1	Maximum permissible gross weight and axle load	
3.2	Load securing	
3.3	Notification	
3.4	Performance fulfillment	
3.5	Proof of Delivery	
3.6	Incoterms	
4.	FREIGHT BILLING	12
5.	TRANSPORT COMPLAINTS	1.4
ວ. 5.1		
5.1 5.2	Condition check at goods receipt:	
5.2	Documentation of the damage:	14
6.	DIGITAL COLLABORATION	15
6.1	EDI	
6.2	Transporeon /Sixfold	
6.3	llogistics for loading window booking in Linz	
7	ADDENDLY	1/

## General

The following chapters define the individual guidelines (Service Level Agreement) between Logistik Service GmbH (LogServ) and the logistics service provider. These guidelines must be adhered by the logistics service provider and its partners in order to ensure a smooth transport process.

By taking over a transport, the logistics service provider confirms that the agreements listed below will be passed on to the responsible or executing employees. In addition, the logistics service provider is responsible for ensuring that the agreements or regulations are passed on to the sub-service providers when sub-service providers are used.

# 1.1 Scope of the Service Level Agreement

The SLA applies to:

Logistics services in <u>outbound</u> transport

for the following voestalpine companies:

- voestalpine Stahl GmbH (incl. rolled products and metallurgical by-products)
- voestalpine Grobblech GmbH
- voestalpine Steel & Service Center GmbH
- voestalpine Gießerei Linz GmbH (Foundry)
- voestalpine Camtec GmbH (excl. CEP services)
- voestalpine Automotive Components Linz GmbH.

<u>The sender</u> is the respective shipping company. Logistik Service GmbH thus acts in the name and on behalf of the shippers.

This regulation applies not only to the transport service itself, but also to services that are connected with it and are provided by the Contractor itself or its subcontractors (loading, storage, handling, pre-carriage, on-carriage, etc.).

In addition, this regulation applies to incoming transports for <u>return deliveries</u> or for services commissioned in individual cases in accordance with the order (deliveries of goods to the site).

If you are also responsible for storage services or on-carriage, please see  $\frac{https://www.logs-erv.at/en/content/download/31693/file/SLA-Logserv\_LagerNL\_Englisch.pdf \ .$ 

## 1.2 Checklist for logistics service providers

1. Contact person: The contact person is responsible for all interactions with Logistik Service GmbH. For smooth communication with the contact person of the logistics service provider, the contact details, as a digital business card, are to be transmitted to LogServ. This includes telephone number and e-mail address.

#### 2. Company register excerpt:

The company register excerpt must be signed by a person authorized to sign (managing director and/or authorized signatory). This company register excerpt also includes the disclosure of bank details (incl. VAT identification number). An excerpt from the commercial register is only required for logistics service providers with whom no commercial relationship has existed to date.

For logistics service providers who do not have their registered office in Austria, a letter must be sent to LogServ. Content of this letter is the exact company wording, the address, the VAT number and the bank details. This must be signed by the managing director and/or authorized signatory. However, the logistics service provider can also send a country-specific equivalent of the Austrian company register extract to LogServ. In case of changes in the company name or bank details, a new company register excerpt must also be sent to LogServ.

#### 3. Digital collaboration:

The logistics service provider is responsible for requesting the required accesses from LogServ's system partners. In detail you will find information in the chapter 6 "Digital collaboration".

#### 1.3 Personal

In order to be able to meet the requirements of LogServ, the use of professionally competent, experienced personnel with local knowledge is a basic prerequisite and essential goal. The logistics service provider is obliged to provide its personnel with the legally required work clothing. This includes safety/work clothing, helmet, work shoes and the like. see Appendix 1 Information sheet truck

The Logistics service provider is obligated to comply with the Employee Protection Act, the Working Hours Act, the Rest Period Act and the Austrian Employment of Foreign Nationals Act for citizens outside the EEA, as well as the transitional provision for EU enlargement pursuant to § 32a AusIBG. Likewise, the logistics service provider is obliged to comply with the Minimum Wage Act (MiLoG).

### 1.4 AEO Certification

LogServ relies on the standards and security provisions of AEO certification in its cooperation with logistics service providers. Therefore, the logistics service provider is obligated to provide LogServ with

- submit the AEO certificate (certificate number or copy of the certificate) if the service provider is AEO certified
- If the logistics service provider is not certified or comes from a country that does not provide for the issuance of an AEO certificate (not an EU country), a security declaration must be submitted to LogServ. The security declaration is available for download at the following link <a href="https://service.bmf.gv.at/service/anwend/formu-lare/show\_mast.asp?s=Za251">https://service.bmf.gv.at/service/anwend/formu-lare/show\_mast.asp?s=Za251</a>.

## 1.5 Archiving

The LSP is obliged to archive all transport documents, in particular waybills, for 15 years and to make them available upon request within a few hours.

## 2. TRUCK

If you have any questions about "Freight Planning & Ordering" and "Transportation Execution", you can contact the respective region email address:

Region	Mail address
Austria & Switzerland	VersandATCH@logserv.at
Germany	<u>VersandDE@logserv.at</u>
OST	<u>VersandOST@logserv.at</u>
WEST	VersandWEST@logserv.at
Inbound/Inbound	Inbound_europe@logserv.at

## 2.1 Freight planning & commissioning

Based on the currently valid (framework) contracts, the logistics service provider can take the expected annual quantities to the respective region. However, this expected annual quantity is subject to sales-oriented fluctuations; LogServ only guarantees the logistics service provider the percentage to the respective destination.

Based on the contractually agreed percentages, the logistics service provider undertakes to accept every transport allocated by LogServ.

The current standard transit time for shipments to the respective destination country of the consignee and the maximum weight (Uni- & Intermodal) can be found in Appendix 2 "Standard transit time table". These standard transit times must be observed without exception!

The transport order for transports, which are carried out on behalf of LogServ, is made via the system "Transporeon".

To be loaded at the <u>Linz location</u>, the logistics service provider must book a loading window at <u>www.ilogistics.at</u>.

In order to be able to book loading windows, a registration of the dispatchers at Industrie-Logistik-Linz GmbH is required. The necessary information (Transporeon dispatcher ID, name & e-mail address) must be transmitted by the logistics service provider to <a href="Sup-port.LKW@logserv.at">Sup-port.LKW@logserv.at</a>. The loading window booking is made in the "ilogistics" system. The loading window booking is the sole responsibility of the logistics service provider and can be made at any time from the transport order, up to a maximum of two hours before arrival at the truck terminal. A truck without a valid loading window will be denied access to the terminal.

## 2.2 Transport execution

In the following chapter, the logistics service provider will find the mode of transport-specific information on transport execution (tracking & tracing).

In order to be able to ensure optimal handling of the loading, the logistics service provider can arrive at the voestalpine truck terminal parking lot up to 3 hours before the booked loading window. It is important that the logistics service provider's dispatcher has already booked a valid loading window before arrival.

Important information: The truck terminal is located at <u>Stahlstraße 71</u> in <u>4020 Linz</u>. With many navigation systems, entering the address Gaisbergerstraße 78 in 4030 Linz is more purposeful. This address differs from the address of the shipper or the loading point in the transport order.

The shortest route is via the Ebelsberg bypass at the Lunzerstraße turnoff. The current route map can be downloaded from the voestalpine homepage. Link: https://www.voestalpine.com/stahl/content/download/5628/file/Anfahrt\_NEUTRAL\_310717.pdf

All outbound transports of voestalpine (with shipping order number of ILL) are handled via the truck terminal and the "ILLOMAT". The operating instructions for the "ILLOMAT" can be found in Appendix 3 "Operating Instructions - ILLOMAT".

## 2.2.1 Special permits

Special permits must be electronically transmitted to the shipper (at the Linz plant site - the ILL) at least 3 hours before the loading window. For loadings (between 23.00 and 08.00) the confirmations have to be transmitted electronically late. until 20.00.

Upload the special permit at <a href="www.ilogistics.at">www.ilogistics.at</a> (see Appendix 4 Operating Instructions Upload Special Permit) or, in exceptional cases, send the special permit to AN <a href="www.ueber-last@ill.co.at">ueber-last@ill.co.at</a> and CC infopoint@logserv.at

- -The special permit must be submitted as a document that cannot be modified (e.g.: PDF, i.e. not a Word document).
- -If the truck license plate number or other data of the confirmation does not match with the vehicle prepared for loading, it will be denied entry.

If the special permit is a confirmation for combined transport, then minimum components according to Appendix 7 must be complied with.

-The special permit must be signed by an authorized person (ppa., MD). If a person in your company who is not known to us has received a corresponding authorization, please inform us in writing.

## 2.2.2 Loading

When the driver arrives at the truck terminal, he waits until the loading process is started, and it is important that he has the display panel in view. The information displayed on this panel can be seen in the next figure.



Figure 1: Display panel truck terminal

Green....drive to the exit barrier Red.... Wait at the parking lot INFOP.....go to the Infopoint

When the driver is called to load, he should immediately proceed to the respective loading gate. The following two figures describe the approach plans to two loading gates. The route maps to the respective loading gates can be printed out from the Illomat.




Figure 2: Map hot dip galvanizing 4




Figure 3: Access map ILL port hall (i1)

All regulations from driving on the factory premises, loading, unloading and also product-specific regulations must be observed:

#### See item Appendix 7:

- Appendix 1: Information sheet truck
- Handling Regulations
  - o GUIDELINES FOR HANDLING AND STORAGE heavy plates
  - o GUIDELINES FOR HANDLING AND STORAGE clad Plates
  - Instructions for loading and unloading steel coils

#### Regulations for the loading process:

- 1. The StVO (road traffic regulations) applies on the plant premises.
- 2. For loading, the truck driver must wear safety shoes, helmet, gloves and long-sleeved safety clothing.
- 3. The trough or trailer must arrive at the loading point in a clean and ready-for-transport condition.
- 4. In order to protect the goods from precipitation, dirt, etc., the truck driver is forbidden to open the top outside the hall area during the entire transport process (except for heavy plate but already for sandblasted and clad material).
- 5. The canopy must be free of water, snow and ice before entering the hall area. In addition, care must be taken to ensure that the canopy is leak-proof.
- 6. Minimum number of load securing devices: 20 straps, 40 anti-slip mats & 40 edge protectors
- 7. The truck driver is obliged to prepare the loading area in such a way that the loading process can be started immediately. The trough cover must be removed and the belts, supports and uprights must be prepared in accordance with the load.

8. Loosening the load securing is allowed only at the unloading point. It is forbidden to put the vehicle into operation without securing the load.

Compliance with the maximum permissible total weights (incl. axle loads) is the sole responsibility of the Contractor. (For more detailed information on the subject of maximum permissible gross weight and axle load, see load securing chapter 3.1).

The positioning of the load is to be determined by the driver (since only he has exact knowledge of the load distribution plan of his vehicle) and made known to the loading personnel. If the vehicle has measuring equipment, it must be used and made available to the loading personnel upon request.

## 2.2.3 Bonus/malus - remuneration system

The currently valid bonus/malus remuneration system is attached to the SLA as Annex 5 or to the contract. The bonus/malus compensation system applies to directly handed over transports according to the framework agreement.

#### General Information:

The data status of the bonus/malus is evaluated on the 2nd Friday (late on the following Tuesday) of the following month and transmitted to the carrier. The subsequent deadline for objections by the carrier is one calendar week. Complaints after the deadline will not be tolerated. After the expiry of this period, the credit note will be triggered. Contact bonus / malus: bonusmalus@logserv.at

Excluded from this bonus / malus regulation are transports on behalf of voestalpine Gießerei GmbH.

## 2.2.4 Arrival and status messages

The logistics service provider is obliged to notify LogServ of any delay (new ETA Estimated Time of Arrival) immediately (within one hour) or, if foreseeable, digitally. In addition, the arrival at the receiving location (ATA Actual Time of Arrival) must also be transmitted digitally to LogServ immediately, but no later than the same working day. The electronic means of communication selected by the logistics service provider (see chapter 6) is used.

Important information: LogServ is not responsible for unloading window bookings at the consignee, but the logistics service provider.

## 3. Cross-modal issues in transport implementation

## 3.1 Maximum permissible gross weight and axle load

Compliance with the maximum permissible total weights (incl. axle loads) is the sole responsibility of the Contractor.

The positioning of the load is to be determined by the driver (since only he has exact knowledge of the load distribution plan of his vehicle) and made known to the loading personnel. If the vehicle has measuring equipment, it must be used and made available to the loading personnel upon request.

See also Chapter 8 of the Supplementary Terms and Conditions of Purchase (EKB) for Logistics Services at <a href="https://www.logserv.at/en/content/download/26572/file/Supplementary%20Terms%20of%20Procurement\_LogServ\_additional%20GTCP%20voestal-pine\_en.pdf">https://www.logserv.at/en/content/download/26572/file/Supplementary%20Terms%20of%20Procurement\_LogServ\_additional%20GTCP%20voestal-pine\_en.pdf</a>

## 3.2 Load securing

The logistics service provider must ensure that the transport containers meet the requirements of the load, are in perfect condition and have a cleaned and absolutely dry loading area. When leaving or changing the loading point (2 or more loading points) or the loading hall, the entire loading area must be in closed condition.

The aids required for securing the load, such as wedges, belts, mats, angles, etc., are to be provided exclusively by the logistics service provider.

The load securing is the sole responsibility of the Contractor (and not the shipper) and must be carried out in accordance with the regulations VDI 2700 to 2702 (for truck transports), or ÖNORM V5750, 5751 and 5752.

The Client shall under no circumstances assume any liability/responsibility whatsoever for the load securing to be carried out by the Contractor.

See also Chapter 8 of the Supplementary Terms and Conditions of Purchase (EKB) for Logistics Services at <a href="https://www.logserv.at/en/content/download/26572/file/Supplementary%20Terms%20of%20Procurement\_LogServ\_additional%20GTCP%20voestal-pine\_en.pdf">https://www.logserv.at/en/content/download/26572/file/Supplementary%20Terms%20of%20Procurement\_LogServ\_additional%20GTCP%20voestal-pine\_en.pdf</a>

#### 3.3 Notification

If a notification has been agreed with the consignee or the place of destination, which has been handed over to the logistics service provider together with the order, this shall be carried out in accordance with the agreement.

#### 3.4 Performance fulfillment

The deadlines communicated by LogServ to the logistics service provider at the time of commissioning must be adhered to. Non-compliance will have commercial consequences. Upon acceptance of the transport order, the logistics service provider is responsible for meeting the customer's deadlines.

## 3.5 Proof of Delivery

In general, LogServ is entitled to request random samples for proof of delivery (CMR, CIM, PoD, BL, etc.) in addition to invoicing. Due to voestalpine's financial reporting obligations, the LSP must expect a random sample to be drawn for its services on the 4th Austrian working day in April, where proof of performance (transmission of reconfirmed CMR, BL, PoD, etc.) must also be provided immediately on the next working day.

#### 3.6 Incoterms

The current trade terms are based on the Incoterms 2020. The logistics service provider is obliged to comply with the agreed transport terms and the associated services.

## 4. Freight billing

If you have any questions about "freight billing", please contact  $\underline{\text{frachtenabrechnung@logs-erv.at}}$  .

Logistik Service GmbH is not only responsible for the contracting of the following companies, but additionally as the sole payer of

Logistics services in outbound transport

responsible for the following voestalpine companies:

- voestalpine Stahl GmbH (rolled products, metallurgical by-products only)
- voestalpine Grobblech GmbH
- voestalpine Steel & Service Center GmbH
- voestalpine Gießerei Linz GmbH (Foundry)
- voestalpine Camtec GmbH
- voestalpine Automotive Components Linz GmbH.

<u>The sender</u> is the respective shipping company. Logistik Service GmbH thus acts in the name and on behalf of the sender.

This regulation applies not only to the transport service itself, but also to services related to it (loading, handling, storage, pre-carriage, on-carriage, etc.).

In addition, this regulation applies to incoming transports, to <u>return deliveries</u> or to services commissioned in individual cases in accordance with the order (deliveries of goods to the site).

In principle, all logistics services are remunerated by a credit note procedure.

In the exceptional case of invoicing, the invoice must be sent to <a href="mailto:invoicingfff@voestal-pine.com">invoicingfff@voestal-pine.com</a>. The invoice address is <a href="mailto:Logistik Service GmbH">Logistik Service GmbH</a>; Attn: <a href="mailto:Freight Invoicing Department">Freight Invoicing Department</a> FFF, Lunzerstraße 41, 4031 Linz.

Invoices without <u>reference to</u> an order, account assignment, a delivery bill or a transport assignment as well as sender information will be returned unbooked. The payment run takes place, depending on the contractually agreed payment date, on the following Tuesday.

Proof of performance must be provided in a suitable form. Independently of this, further proofs which may even have to be provided in the original (e.g. for letter of credit processing) are to be kept by the logistics service provider based on the statutory provisions. If the logistics service provider does not report a customer arrival date or proof of performance at the customer's premises, the credit note procedure or payment processing for non-credit note partners may not be initiated.

Changes of the bank data and/or the company name are to be announced immediately for the credit note procedure to <a href="mailto:invoicingfff@voestalpine.com">invoicingfff@voestalpine.com</a> or <a href="mailto:Logistik Service GmbH">Logistik Service GmbH</a>; Attn. <a href="mailto:freight accounting department FFF">freight accounting department FFF</a>, Lunzerstraße 41, 4031 Linz.

As a credit partner, the logistics service provider receives a credit note and a credit advice. Invoicing on the part of the logistics service provider is not required. The logistics service provider receives the credit note of the respective performance month in retrospect by the 2nd working day in electronic form. This e-mail contains the credit advice in PDF and CSV format.

In case of questions around the topic of credit note (differences, etc.) the logistics service providers can contact <a href="mailto:frachtenabrechnung@logserv.at">frachtenabrechnung@logserv.at</a>. In order to ensure proper processing of the complaint, the logistics service provider undertakes to transmit credit note complaints electronically to <a href="mailto:frachtenabrechnung@logserv.at">frachtenabrechnung@logserv.at</a> only in the form "<a href="mailto:Credit Note Complaint">Credit Note Complaint</a>". This form is attached, under the name " Credit Note Complaint", and will be sent with the SLA.

Complaints that are <u>not</u> sent in the specified form or to the specified e-mail address will not be processed.

## 5. Transport complaints

The logistics service provider is obligated to report any damage to goods to LogServ immediately upon discovery. The respective contact person and the quality control department (QS-logserv@logserv.at) must be informed by the logistics service provider.

## 5.1 Condition check at goods receipt:

- Every transferee of goods must carry out an apparent inspection when taking over the goods.
- The goods are OK if no unacceptable grading is found. This is to be determined according to the currently valid grading scale. The current grading scale depending on the transported goods is attached in Annex 8.
- If material damage is detected upon receipt of the goods, a corresponding note in a suitable form must be handwritten by the recipient of the goods on the freight document. The description of the damage is to be recorded and at the same time the customer is to be informed about it.

## 5.2 Documentation of the damage:

Truck: CMR waybill

- Is issued by the company Industrie Logistik Linz (ILL) and already signed by the truck driver in Linz, in the course of handing over the goods to the forwarder. A damage note must be signed by the consignee in any case.
- Any damage detected by the logistics service provider (truck driver) is noted on the CMR waybill and signed by both the truck driver and the shipper/consignee.

### For all documents applies:

- The damage report must be made immediately after the acceptance of the goods.
- The damage must be documented in an appropriately comprehensible manner (by means of photos). If security permits, the photos are to be taken on the means of transport, otherwise at the latest at the incoming inspection point. Deadline for reporting to LogServ or the customer: within 24 hours after receipt of goods with forwarding of the corresponding documentation.

## 6. Digital collaboration

For questions about digital collaboration, contact: edi@logserv.at .

The logistics service provider is obliged to notify LogServ of any delay (new ETA Estimated Time of Arrival) immediately (within one hour) or, if foreseeable, digitally. In addition, the arrival at the receiving location (ATA Actual Time of Arrival) must also be transmitted digitally to LogServ immediately, but no later than the same working day. The electronic means of communication selected by the logistics service provider (see item 2.2.4) is used.

The arrival at the receiving location (ATA Actual Time of Arrival) is to be reported in transporeon or your telematics is to be connected to Sixfold.

Regardless of the mode of transport and the stage in the transport chain, the logistics service provider can use the following options to communicate with LogServ:

- 1. EDI (OFTP2, IFTSTA)
- 2. www.transporeon.com
- 3. <u>www.ilogistics.at</u>

#### 6.1 EDI

(independent of mode of transport)

The logistics service provider has the possibility to communicate via EDI and the message IFTSTA with the Seeburger platform (via OFTP2) of LogServ. The keys (transport number, consignment note number, wagon number or coil number) are to be used. If the logistics service provider requires corresponding documents in advance for this purpose, LogServ can transmit the order by message IFTMIN or the delivery bill by DESADV via the same route. For EDI requests the e-mail address: EDI@logserv.at shall be used.

## 6.2 Transporeon /Sixfold

Logistics service providers have the possibility to report delays and arrivals in "Transporeon". Less complex is the connection of their telematics with Sixfold. Costs for this are part of their contract with Transporeon and are not covered by LogServ.

For more information, logistics service providers can visit: <a href="https://sup-port.transporeon.com/customercare">https://sup-port.transporeon.com/customercare</a>

## 6.3 llogistics for loading window booking in Linz

(exclusively for transports ex Linz)

The loading company Industrie-Logistik-Linz provides the web platform "ilogistics" for the logistics service provider. Without loading window booking, loading at the plant site, by truck, is not possible.

# 7. Appendix

- SLA Truck\_Appendix 1 Information Sheet Truck.pdf
- SLA Truck\_Appendix 2\_Regulatory runtime truck.pdf
- SLA Truck\_Appendix 3 Operating instructions ILLOMAT.pdf
- SLA Truck\_Appendix 4 Operating Instructions Upload Special Permit.pdf
- SLA Truck\_Appendix 5 Bonus\_Malus\_Compensation\_system.pdf
- SLA Truck\_Appendix 6 Credit Note Complaint.xlsx
- SLA Truck\_Appendix 7 Minimum Components Combined Transport Confirmation.pdf
- SLA Truck\_Appendix 8 Sorting Scale.pdf

•

SLA Storage and on-carrying

•

- Guidelines for handling and storage of clad plates (English)
- Guidelines for handling and storage of voestalpine heavy plates (English)
- Instructions for loading and unloading steel coils from voestalpine (English)